

In the claims:

Please amend the claims as follows:

Claim 1. (Currently Amended) A method of determining ~~evaluating~~ a protein kinase C (PKC) activity in a cardiovascular tissue ~~other than monocytes~~ of a subject, the method comprising:

~~evaluating~~ determining the level of the PKC activity in monocytes of the subject, and correlating the level of PKC activity in the monocytes ~~being correlated~~ to the level of PKC activity in the cardiovascular tissue ~~other than monocytes~~.

Claim 2. (Original) The method of claim 1, wherein the PKC activity is PKC β activity.

Claim 3. (Canceled)

Claim 4. (Currently Amended) The method of claim 3 1, wherein the cardiovascular tissue is retinal, kidney or aorta vascular tissue or heart.

Claim 5. (Original) The method of claim 1, wherein the subject is a human.

Claim 6. (Original) The method of claim 1, wherein the subject is an experimental animal.

Claims 7-15. (Canceled)

Claim 16. (Currently Amended) A method of evaluating a subject for the extent, stage, or severity, of a ~~PKC-related disorder~~ cardiovascular complication of diabetes, the method comprising:

determining ~~evaluating~~ the level of PKC activity in monocytes of the subject; ~~and~~

optionally comparing the level of the PKC activity in monocytes of the subject with a standard, and

correlating the level of PKC activity ~~being correlated~~ with the extent, stage, or severity, of the ~~PKC-related disorder~~ cardiovascular complication of diabetes.

Claim 17. (Currently Amended) The method of claim 16, wherein the diabetic complication is diabetic retinopathy ~~disorder is diabetes~~.

Claim 18. (Currently Amended) The method of claim 16, wherein the diabetic complication is diabetic nephropathy ~~disorder is a cardiovascular disorder~~.

Claim 19. (Currently Amended) The method of claim 16, wherein the diabetic complication is ~~disorder is diabetes mellitus, Type I diabetes, Type II diabetes, diabetic retinopathy, proliferative diabetic retinopathy, non-proliferative diabetic retinopathy, diabetic nephropathy, microalbuminuria, proteinuria, renal failure,~~ hypertension, atherosclerosis, coronary artery spasm, congestive heart failure, coronary artery disease, valvular disease, arrhythmias, and cardiomyopathy.

Claim 20. (Original) The method of claim 16, wherein the PKC activity is PKC β activity.

Claim 21. (Original) The method of claim 16, wherein the subject is a human.

Claim 22. (Original) The method of claim 16, wherein the subject is an experimental animal.

Claim 23. (Currently Amended) A method of ~~evaluating the effect of a treatment for a PKC-related disorder on~~ determining the efficacy of treating a cardiovascular complication of diabetes in a subject comprising:

administering a treatment for a cardiovascular complication of diabetes ~~PKC-related disorder~~ to a subject; and

determining ~~evaluating~~ the level of a PKC activity in monocytes of the subject, and correlating the level of PKC activity with the efficacy of treating the cardiovascular complication of diabetes ~~thereby evaluating the effect of the treatment.~~

Claim 24. (Currently Amended) The method of claim 23, wherein the ~~disorder is~~ diabetes complication is diabetic retinopathy.

Claim 25. (Currently Amended) The method of claim 23, wherein the ~~disorder is a cardiovascular disorder~~ complication is diabetic nephropathy.

Claim 26. (Currently Amended) The method of claim 23, wherein the disorder is ~~diabetes mellitus, Type I diabetes, Type II diabetes, diabetic retinopathy, proliferative diabetic retinopathy, non-proliferative diabetic retinopathy, diabetic nephropathy, microalbuminuria, proteinuria, renal failure,~~ hypertension, atherosclerosis, coronary artery spasm, congestive heart failure, coronary artery disease, valvular disease, arrhythmias, or cardiomyopathy.

Claim 27. (Original) The method of claim 23, wherein the PKC activity is PKC β activity.

Claim 28. (Original) The method of claim 23, wherein the subject is a human.

Claim 29. (Original) The method of claim 23, wherein the subject is an experimental animal.

Claim 30. (Currently Amended) A method of identifying a compound for the ~~treatment of a PKC related disorder~~ treating a cardiovascular complication of diabetes in a subject, the method comprising:

administering a test compound for the treatment of the ~~disorder~~ complication to the subject; and

determining ~~evaluating~~ a PKC activity in monocytes of the subject, and
~~the level of PKC activity being correlated with the effect of the treatment on the disorder~~
selecting a compound if it reduces the monocyte PKC activity in the subject,
thereby identifying a compound for treating a cardiovascular complication of diabetes.

Claim 31. (Currently Amended) The method of claim 30, wherein the ~~disorder is~~
diabetes complication is diabetic retinopathy.

Claim 32. (Currently Amended) The method of claim 30, wherein the ~~disorder is~~
diabetes complication is diabetic nephropathy.

Claim 33. (Currently Amended) The method of claim 30, wherein the complication
is PKC related disorder is diabetes mellitus, Type I diabetes, Type II diabetes, diabetic
retinopathy, proliferative diabetic retinopathy, non-proliferative diabetic retinopathy, diabetic
nephropathy, microalbuminuria, proteinuria, renal failure, hypertension, atherosclerosis, coronary
artery spasm, congestive heart failure, coronary artery disease, valvular disease, arrhythmias, or
cardiomyopathy.

Claim 34. (Original) The method of claim 30, wherein the PKC activity is PKC β activity.

Claim 35. (Currently Amended) The method of claim 30, further comprising:
optionally identifying a subject in need of a treatment for the ~~disorder~~
complication;

———~~optionally evaluating a PKC activity in monocytes of the subject; and~~

comparing the PKC activity before the ~~administration~~ administering of the test compound to the PKC activity after ~~administration~~ administering of the test compound, wherein a compound for the treatment of the ~~disorder~~ complication is identified when the PKC activity after the ~~administration~~ administering of the compound is altered compared to ~~a standard~~ the PKC activity before the administering.

Claim 36. (Original) The method of claim 30, wherein the subject is a human.

Claim 37. (Original) The method of claim 30, wherein the subject is an experimental animal.

Claim 38. (Currently Amended) A method of identifying a compound for ~~the treatment of treating aging or an aging-related disorder~~ in a subject, the method comprising: administering a test compound for the treatment of aging ~~or an aging-related disorder~~ to the subject; ~~and~~ determining ~~evaluating~~ a PKC activity in monocytes of the subject, and ~~the level of PKC activity being correlated with the effect of the treatment on the disorder~~ selecting a compound if it increases the monocyte PKC activity in the subject, thereby identifying a compound for the treatment of aging.

Claim 39. (Canceled)

Claim 40. (New) A method of evaluating the relative age of a subject, the method comprising evaluating the level of a PKC activity in monocytes of the subject, the level of PKC activity being inversely correlated to the relative age of the subject.

Claim 41. (New) The method of claim 40, wherein the PKC activity is PKC β activity.

Claim 42. (New) The method of claim 40, wherein the subject is a human.

Applicant : George L. King
Serial No. : 10/027,204
Filed : December 21, 2001
Page : 10

Attorney's Docket No.: 10276-066001

A4
Cont

Claim 43. (New) The method of claim 40, wherein the subject is an experimental animal.
